


ROADSIGHT 2500

ROADsight 2500



1080p resolution

High-definition video at 1080p resolution



Wide-angle 140° field of vision

Offers a wide-angle perspective, capturing more of the road and surroundings in each frame. This enhances your situational awareness and provides comprehensive coverage for a feeling of increased safety and security while driving

Advanced Dashcam with a clear view of every detail

The OSRAM ROADsight 2500 Dash Camera 1080p stands out due to its combination of advanced features and user-friendly design. The compact 2" screen ensures ease of use without taking up much space, while the adjustable suction cup mount provides flexibility in fitting, allowing you to position the device exactly where you need it. With a screen resolution of 1920 x 1080p and a frame rate of 30FPS, you can expect clear and smooth video quality. The 140° field of view captures a broad area, ensuring you don't miss any important details.

Operating efficiently within a voltage range of 8-30V, this device is compatible with various vehicles. The G Sensor automatically detects collisions and saves files to prevent data loss during unexpected events. Parking mode records video for up to 30 seconds when parked.

The HDR function enhances image quality under high contrast conditions, ensuring clear footage in varying lighting. The built-in microphone and speaker enable audio recording and playback, adding another layer of detail to your recordings.

It supports up to 128GB capacity with its Micro SD card slot, providing ample storage for your recordings. The USB-C power cable ensures a reliable power connection with a modern interface.

Designed for easy setup without the need for complex



wiring, the sleek design includes a screen for ease of use, making it both functional and aesthetically pleasing. High-resolution recording ensures that every detail is captured clearly, and the collision protection feature offers peace of mind by automatically saving files in the event of a collision.

Technical data

Product information

Resolution	1080p
FPS	30 ¹⁾
FOV	140° ²⁾
Memory size up to	128 GB
G-Sensor	Yes ³⁾
GPS	No

1) Frames per second

2) Field of View

3) Shock sensor

Physical Attributes & Dimensions



Length	58.0 mm
Width	30.0 mm
Height	58.0 mm

In-Box Accessories

USB cable for power	Yes
Trim removal tool in box	Yes
Hard wire Kit	No

Hardware Features

Mount Type	3M™ Adhesive fitting
Screen Size	2"
Touchscreen	No

Software Features

Product datasheet

High Dynamic Range	Yes
Microphone	Yes
Time lapse feature	No
Parking Mode	Yes
Tamperproof lockable Micro SD Card slot	No
Rear Camera FOV	N/A

Environmental & Regulatory Information




Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Candidate list substance 1	Lead
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	In work

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899633834	ROADSIGHT 2500 CAM	Folding carton box 1	140 mm x 75 mm x 102 mm	1.07 dm ³	238.00 g
4062172420235	ROADSIGHT 2500 CAM	Shipping carton box 4	296 mm x 166 mm x 132 mm	6.49 dm ³	1452.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	User instruction ROADsight
	User instruction ROADsight 2500 Dash Camera HD 1080p

Legal advice

Product datasheet

For precise conditions please refer to: www.osram.com/am-guarantee Please note: The use of dashcams may be subject to specific legal regulations, particularly with regard to data protection and personal rights. As regulations across Europe are not harmonized, there are varying rules regarding the admissibility of video recordings. Before using the device for the first time, whether domestically or abroad, we recommend familiarizing yourself with the applicable legal requirements in the respective country.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

The OSRAM logo is displayed in a bold, orange, sans-serif typeface.